



EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



Certificate N° 0075/780/162/06/20/1683

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD
1508 Huahong Business Center, No.5 Lane 388 Daduhe Road,
Putuo District, Shanghai
China

Description

PPE Type : *protective glove against mechanical risks*

Product reference : N17410

Article code : /


Glove description : Nitrile fully coated, safety cuff, jersey liner.

Available sizes : 7/S 8/M 9/L 10/XL

Pictures :



Order No.:000000



SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD
1508 Huahong Business Center, No.5 Lane 388,
Daduhe Road, Putuo District, Shanghai, China

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

-

EN 388:2016 + A1:2018

4 2 1 1 X

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from JUNE, 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO

Date of first issue : 05 June 2020

End of validity date : 05 June 2025

Certification and Quality Manager



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726



SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	N17410
Article code	:	/
Technical file index	:	01
Last update	:	JUNE, 2020

IDENTIFICATION

Reference of the product :	:	N17410
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	JUNE, 2020

Manufacturer :

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD
1508 Huahong Business Center, No.5 Lane 388 Daduhe Road, Putuo District,
Shanghai
China
tel : 021-31269888
fax :

Factory :

SELECT (NAN TONG) SAFETY PRODUCTS CO LTD
198 Youyi Road (W), Juegang, Rudong, Jiangsu Province, 226400
China
tel: 86-0513-84108999
fax: 86-0513-84131111

GLOVE DESCRIPTION

General glove description :

Nitrile fully coated, safety cuff, jersey liner.

type of coating finish : smooth

Visual description (picture back and palm sides) :



Field of use

Automobile/ Transport/ Assemble/ Electronic industry/ Plastic processing/ Maintenance/ Storage for mechanical risks

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒	☒ Standard ☒ Instruction for use ☒ Marking
§1.4	Manufacturer's instructions and information is available	☒	☐ Standard ☒ Instruction for use ☐ Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☒	☐ Standard ☒ Instruction for use ☒ Marking
§2.5	PPE which may be caught up during use	☒	☐ Standard ☒ Instruction for use ☐ Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒	☒ Standard ☒ Instruction for use ☒ Marking
§3.3	The PPE is intended to protect against mechanical injuries	☒	☒ Standard ☒ Instruction for use ☒ Marking

Available sizes :

Minimum length of glove (mm)	Sizes
240	7/S
250	8/M
260	9/L
270	10/XL

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		blue	nitrile	400g/sqm		0.1mm
		beige	cotton jersey	200g/sqm	21	
Back		blue	nitrile	400g/sqm		0.1mm
		beige	cotton jersey	200g/sqm	21	
Cuff		beige	cotton+paste	250g/sqm	21	
Binding		dark blue	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 3

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	2
Tear strength resistance	1
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S191114954_1 S200100261_1 S200100134_1 S180810421_1(PAHs)	
EN 388	S180809808_2 S180809704_2 S180810091_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : N17410

Article Code : /

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Method of marking on the glove :

PRINT ON BACK

Packaging :

1 PAIR/POLYBAG

PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available with product.

MEANS OF CONTROL

In the factory, we usually inspect the product quality as per the ISO 9001 provisions. We will check the relative raw materials for the product first of all. After that, we also check the quality in the product process. If we found some mistake in this step, we will stop the produce and amend it. It was monitored by the QC in the working hours. We will take out the samples to inspect. According to the CE standard, we would inspect sizing, Blade cut resistance, abrasion in our laboratory which we can do for every year. Then, Before each shipment total 3 times to check the quality all-sided. Meanwhile, we also sent the sample to Shanghai office which they will sent to CTC Asia Ltd make testing. On the other side, we also examine and repair machines and our staff will trained by the factory.


By Royal Charter

Certificate of Registration

质量管理体系 - ISO 9001:2015

兹证明:	赛立特(南通)安全用品有限公司 91320623783393233N 中国 江苏省 南通市 如东县经济开发区 友谊西路198号 邮编: 226400	Select (Nantong) Safety Products Co., Ltd No. 198, West Youyi Road Rudong Economic Development Zone Nantong City Jiangsu 226400 China
------	---	---

持有证书: **FM 598721**

并运行符合 ISO 9001:2015 要求的质量管理体系, 认证范围如下:

一般安全防护手套的制造。
The manufacture of general safety gloves.

BSI代表:


Chris Cheung, 亚太地区 合规风险主管

首次发证日期: 2013-07-17
最新发证日期: 2019-06-20

生效日期: 2019-07-17
有效期至: 2022-07-16

Page: 1 of 1



此证书以电子版方式发放, 所有权属BSI并受合同条款的约束。
可以 [在线](#) 查看电子证书的有效性
打印的证书可以通过网站 <http://www.bsi-global.com/ClientDirectory> 或者致电 +86 10 8507 3000 查询。本证书信息亦可在国家认证认可监督管理委员会官方网站
www.cnca.gov.cn 上查询。
关于证书范围及 ISO 9001:2015 要求的适用性的进一步说明请咨询BSI。
获证组织必须定期接受监督审核并符合审核合格此证书方继续有效。
此证书只在提供完整正本时才有效。

信息查询及联系方式: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. 电话: +44 345 080 9000
BSI(北京)有限公司, 注册地英国, 注册号07805321, 地址: 389 Chipwick High Road, London W4 4AL, UK
英标管理体系认证(北京)有限公司 北京市建国门外大街甲24号东郊中心2008室 邮编: 100004 电话: +86 10 85073000
BSI集团公司成员。

...making excellence a habit™

INSTRUCTION FOR USE

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD

1508 Huahong Business Center, No.5 Lane 388 Daduhe Road, Putuo District, Shanghai
China

Glove reference : N17410

Article code: /

User notice index : 01

Last update : JUNE, 2020

Available sizes : 7/S 8/M 9/L 10/XL

Order No.:000000



XX/XXXX

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD
1508 Huahong Business Center, No.5 Lane 388,
Daduhe Road, Putuo District, Shanghai, China



Glove description :

Nitrile fully coated, safety cuff, jersey liner.

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 3

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388 : 2016 +
A1:2018



4 2 1 1 X

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	2	(on 5 maxi)
Tear resistance	1	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available with product.